



GENERAL INFORMATION

House of Kolor's Limited Edition (LE) Factory Packs will be available for a limited time, but are always available to be mixed in the Shimrin2 InterMix System. Mixing ratios can be found at houseofkolor.com.



1. COMPONENTS

- S2-LE01 BLACK FOREST
- S2-LE02 BLU BY-YOU
- S2-LE03 BLOOD ORANGE
- S2-LE04 RIGHTEOUS ROJO



2. MIXING RATIO (2:1: by volume)

- Mix two (2) parts LE Series to one (1) part RU reducers



3. CLEAN UP

- Use KC10 Wax & Grease Remover, KC20 Post Sanding Cleaner or House of Kolor Reducers listed above (check local regulations)



4. ADDITIVES

- N/A

5. SURFACE PREPARATION

- Surfaces should be prepared using the primer undercoat system following recommended procedures

6. TOPCOATS

- Compatible with all House of Kolor clear coats
- NOTE:** All House of Kolor Bases must be clear coated

7. SUBSTRATES

- KD3000 Series Primers/Sealers
- Properly cleaned and sanded aluminum, steel, galvanized steel or sand blasted steel

8. PHYSICAL DATA

Coast-2-Coast Compliant

RTS REGULATORY DATA	2:1	
	(RU300 & RU301 Series Reducers)	
	LBS./GAL.	g/L
Actual VOC	3.5 Max.	420 Max.
Regulatory VOC (less water and exempt solvents)	3.5 Max.	420 Max.
Density	8.80-9.10	1050-1085
	WT.%	VOL.%
Total Solids Content	12-14	11-14
Total Volatile Content	86-88	86-89
Water	0	0
Exempt Compound Content	75-80	72-79
Coating Category	Color Coat	

NOTE: US/Canadian Regulations allow for the use of exempt compounds for VOC calculations.



PHYSICAL DATA (continued)

FOR REST-OF-WORLD (outside US and Canada):

RTS REGULATORY DATA	2:1	
	(RU300 & RU301 Series Reducers)	
	LBS./GAL.	g/L
VOC	3.5 Max.	420 Max.
Density	8.80-9.10	1050-1085
	WT.%	VOL.%
Total Solids Content	12-14	11-14
Total Volatile Content	86-88	86-89
Water	0	0
Coating Category	Color Coat	

National Rule

RTS REGULATORY DATA	2:1	
	(RU310, RU311, RU312 and RU313 Series Reducers)	
	LBS./GAL.	g/L
Actual VOC	3.5 Max.	420 Max.
Regulatory VOC (less water and exempt solvents)	3.5 Max.	420 Max.
Density	5.6-5.9	670-707
	WT.%	VOL.%
Total Solids Content	12-14	11-14
Total Volatile Content	86-88	86-89
Water	0	0
Exempt Compound Content	42-49	39-46
Coating Category	Color Coat	

NOTE: US/Canadian Regulations allow for the use of exempt compounds for VOC calculations.

FOR REST-OF-WORLD (outside US and Canada):

RTS REGULATORY DATA	2:1	
	(RU310, RU311, RU312 and RU313 Series Reducers)	
	LBS./GAL.	g/L
VOC	5.6-5.9	670-707
Density	8.80-9.10	1050-1085
	WT.%	VOL.%
Total Solids Content	12-14	11-14
Total Volatile Content	86-88	86-89
Water	0	0
Coating Category	Color Coat	

If used as instructed, this product is designed to comply with the US National Volatile Organic Compound (VOC) Emission Standard for Automobile Refinish Coatings. Confirm compliance with state and local air quality rules before use. The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. **UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.** Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.