

Version 1.0 Revision Date: 01/31/2020

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : ARPOL 619 WASH THINNER

Recommended use of the chemical and restrictions on use

Recommended use : Industrial chemical

Manufacturer or supplier's details

Company: Univar Solutions USA, Inc.Address3075 Highland Pkwy Suite 200

Downers Grove, IL 60515 United States of America (USA)

**Emergency telephone number:** 

Transport North America: CHEMTREC (1-800-424-9300) CHEMTREC INTERNATIONAL Tel # 703-527-3887

Additional Information: : Responsible Party: Product Compliance Department

E-mail: SDSNA@univarsolutions.com SDS Requests: 1-855-429-2661 Website: www.univarsolutions.com

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 3

Acute toxicity (Dermal) : Category 3

Skin irritation : Category 2

Eye irritation : Category 2A

Reproductive toxicity : Category 2

Specific target organ toxicity

- single exposure

: Category 1 (Eyes, Central nervous system)

Specific target organ toxicity

- single exposure

: Category 3 (Central nervous system)

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

: Category 2 (Auditory system, Eyes)

Aspiration hazard : Category 1

**GHS** label elements

SDS Number: 100000055306 1 / 16 ARPOL 619 WASH THINNER



Version 1.0 Revision Date: 01/31/2020

Hazard pictograms









Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or

if inhaled.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs (Eyes, Central nervous sys-

tem).

H373 May cause damage to organs (Auditory system, Eyes)

through prolonged or repeated exposure if inhaled.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER/doctor. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P311 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Call a POISON

CENTER/doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/

physician

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.



Version 1.0 Revision Date: 01/31/2020

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

CAS-No.	Chemical name	Weight percent
67-56-1	Methanol	50 - 70
108-88-3	Toluene	20 - 30
67-64-1	Acetone	10 - 20
64742-49-0 /	Naphtha (pet), hydrotreated It AND/OR Heptane,	5 - 10
426260-76-6 /	branched, cyclic and linear AND/OR Solvent	
64742-89-8	naphtha (pet), lt aliph.	
142-82-5	**Heptane	1 - 5

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

SDS Number: 100000055306 3 / 16 ARPOL 619 WASH THINNER



Version 1.0 Revision Date: 01/31/2020

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

: Carbon oxides formaldehyde toxic fumes

Unburned hydrocarbons

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

: Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

SDS Number: 100000055306 4 / 16 ARPOL 619 WASH THINNER



Version 1.0 Revision Date: 01/31/2020

Advice on protection against

fire and explosion

: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges.

Provide sufficient air exchange and/or exhaust in work rooms.

Open drum carefully as content may be under pressure.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

: No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
67-56-1	Methanol	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z-1
		STEL	250 ppm 325 mg/m3	OSHA P0
		TWA	200 ppm 260 mg/m3	OSHA P0
108-88-3	Toluene	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m3	NIOSH REL
		ST	150 ppm 560 mg/m3	NIOSH REL
		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm	OSHA Z-2



Version 1.0 Revision Date: 01/31/2020

		TWA	100 ppm 375 mg/m3	OSHA P0
		STEL	150 ppm 560 mg/m3	OSHA P0
67-64-1	Acetone	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
64742-49-0 / 426260-76-6 / 64742-89-8	Naphtha (pet), hydrotreated It AND/OR Heptane, branched, cyclic and linear AND/OR Solvent naphtha (pet), It aliph.	TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH
142-82-5	**Heptane	TWA	85 ppm 350 mg/m3	NIOSH REL
		С	440 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		STEL	500 ppm 2,000 mg/m3	OSHA P0
		TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH

## Personal protective equipment

Respiratory protection : General and loc

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection. In the case of vapour formation use a respirator with an approved filter.

proved filt

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

SDS Number: 100000055306 6 / 16 ARPOL 619 WASH THINNER



Version 1.0 Revision Date: 01/31/2020

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : Avoid contact with skin, eyes and clothing.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling the

product.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : Clear, Colorless
Odour : No data available
Odour Threshold : No data available
pH : No data available

Freezing Point : No data available Boiling Point : No data available Flash point : -9 °C (16 °F)

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available Relative vapour density : No data available

Relative density : 0.796
Density : 0.796 g/cm3
Water solubility : No data available
Solubility in other solvents : No data available

Solubility in other solvents
Partition coefficient: noctanol/water

Auto-ignition temperature Thermal decomposition

: No data available: No data available

: No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Acids

Alkali metals Amines Bases

SDS Number: 100000055306 7 / 16 ARPOL 619 WASH THINNER



Version 1.0 Revision Date: 01/31/2020

halogens

Oxidizing agents peroxides

Reducing agents

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 172.41 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 5.17 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 517.24 mg/kg

**Components:** 

67-56-1:

Acute oral toxicity : Assessment: The component/mixture is toxic after single in-

gestion.

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term

inhalation.

Remarks: Supporting toxicological evidence is limited for this classification. This harmonized classification will replace the indicated classification due to industry leaders and the EU

Harmonized Classification (Annex VII).

Acute dermal toxicity : Assessment: The component/mixture is toxic after single con-

tact with skin.

64742-49-0 / 426260-76-6 / 64742-89-8:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 73.5 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

### Skin corrosion/irritation

**Product:** 

Remarks: May cause skin irritation in susceptible persons.

SDS Number: 100000055306 8 / 16 ARPOL 619 WASH THINNER



Version 1.0 Revision Date: 01/31/2020

#### **Components:**

108-88-3:

Species: Rabbit Exposure time: 4 h Result: Irritating to skin.

#### 64742-49-0 / 426260-76-6 / 64742-89-8:

Species: Rabbit Exposure time: 24 h Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

#### Serious eye damage/eye irritation

**Product:** 

Remarks: May cause irreversible eye damage.

### **Components:**

108-88-3:

Species: Rabbit

Result: Irritating to eyes.

67-64-1:

Species: Rabbit

Result: Irritating to eyes. Exposure time: 24 h

#### 64742-49-0 / 426260-76-6 / 64742-89-8:

Result: No eye irritation

### Respiratory or skin sensitisation

#### **Components:**

### 64742-49-0 / 426260-76-6 / 64742-89-8:

Test Type: Maximization test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Remarks: Based on a similar product formulation.

#### Germ cell mutagenicity

## **Components:**

108-88-3:

Germ cell mutagenicity -

: Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

## 64742-49-0 / 426260-76-6 / 64742-89-8:

Germ cell mutagenicity -

: Mutagenicity classification not possible from current data

Assessment

Assessment

#### Carcinogenicity

### **Components:**

SDS Number: 100000055306 9 / 16 ARPOL 619 WASH THINNER



Version 1.0 Revision Date: 01/31/2020

108-88-3:

Carcinogenicity - Assess-

: No evidence of carcinogenicity in animal studies.

ment

64742-49-0 / 426260-76-6 / 64742-89-8:

Carcinogenicity - Assess-

: Not classifiable as a human carcinogen.

ment

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

### Reproductive toxicity

#### **Components:**

108-88-3:

Effects on foetal develop-

ment

: Species: Rat

Application Route: inhalation (vapour) Dose: 0, 250, 750, 1500, 3000 ppm

Duration of Single Treatment: 10 d Frequency of Treatment: 6 hr/day

General Toxicity Maternal: NOAEC: 750 ppm Developmental Toxicity: NOAEC: 750 ppm

Symptoms: Maternal toxicity, Reduced body weight, Skeletal

malformations

Teratogenicity - Assessment : Some evidence of adverse effects on development, based on

animal experiments.

Reproductive toxicity - As-

sessment

No toxicity to reproduction

### 64742-49-0 / 426260-76-6 / 64742-89-8:

Reproductive toxicity - As-

sessment

Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

#### STOT - single exposure

### **Components:**

67-56-1:

Target Organs: Eyes, Central nervous system

Assessment: The substance or mixture is classified as specific target organ toxicant, single ex-

posure, category 1.



Version 1.0 Revision Date: 01/31/2020

108-88-3:

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as

specific target organ toxicant, single exposure, category 3 with narcotic effects.

67-64-1:

**Exposure routes: Inhalation** 

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as

specific target organ toxicant, single exposure, category 3 with narcotic effects.

64742-49-0 / 426260-76-6 / 64742-89-8:

**Exposure routes: Inhalation** 

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as

specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure

**Components:** 

108-88-3:

**Exposure routes: Inhalation** 

Target Organs: Auditory system, Eyes

Assessment: May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**Aspiration toxicity** 

**Components:** 

108-88-3:

May be fatal if swallowed and enters airways.

64742-49-0 / 426260-76-6 / 64742-89-8:

May be fatal if swallowed and enters airways.

**Further information** 

**Product:** 

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vom-

iting.

Concentrations substantially above the TLV value may cause narcotic effects.

Solvents may degrease the skin.

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

108-88-3:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l

Exposure time: 96 h

SDS Number: 100000055306 11 / 16 ARPOL 619 WASH THINNER



Version 1.0 Revision Date: 01/31/2020

Test Type: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

: LC50 (Ceriodaphnia dubia): 3.78 mg/l

Exposure time: 48 h Test Type: Renewal

Toxicity to daphnia and other

aquatic invertebrates (Chron-

: NOEC: 0.74 mg/l Exposure time: 7 d

ic toxicity)

Acute aquatic toxicity- As-

sessment

: Toxic to aquatic life.

: Harmful to aquatic life with long lasting effects. Chronic aquatic toxicity- As-

sessment

64742-49-0 / 426260-76-6 / 64742-89-8:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 4 mg/l

Exposure time: 24 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1.5 mg/l

Exposure time: 48 h Test Type: static test

Remarks: Information given is based on data obtained from

similar substances.

: EC50 (Pseudokirchneriella subcapitata (green algae)): 3.7 Toxicity to algae

mg/l

Exposure time: 96 h Test Type: static test

Acute aquatic toxicity- As-

sessment

: Very toxic to aquatic life.

Chronic aquatic toxicity- As-

sessment

: Very toxic to aquatic life with long lasting effects.

Persistence and degradability

**Components:** 

64742-49-0 / 426260-76-6 / 64742-89-8:

Biodegradability : aerobic

Inoculum: activated sludge Biodegradation: 74.30 % Exposure time: 56 d

Remarks: Inherently biodegradable.

Bioaccumulative potential

**Components:** 

108-88-3:

Partition coefficient: n-: log Pow: 2.73 (20 °C)

octanol/water pH: 7

64742-49-0 / 426260-76-6 / 64742-89-8:

Partition coefficient: n-

: log Pow: 2.13 - 4.85 (25 °C)

octanol/water

SDS Number: 100000055306 12 / 16 **ARPOL 619 WASH THINNER** 



Version 1.0 Revision Date: 01/31/2020

### Mobility in soil

No data available

#### Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni-

var Solutions ChemCare: 1-800-909-4897

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14. TRANSPORT INFORMATION**

### **DOT (Department of Transportation):**

UN1993, Flammable liquids, n.o.s., (TOLUENE, METHANOL), 3, II

## IATA (International Air Transport Association):

UN1993, FLAMMABLE LIQUID, N.O.S., (TOLUENE, METHANOL), 3, II

#### **IMDG** (International Maritime Dangerous Goods):

UN1993, FLAMMABLE LIQUID, N.O.S., (TOLUENE, METHANOL), 3, II, Flash Point:-9 °C(16 °F)

## **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ

SDS Number: 100000055306 13 / 16 ARPOL 619 WASH THINNER



# **Safety Data Sheet**

## **ARPOL 619 WASH THINNER**

Version 1.0 Revision Date: 01/31/2020

		(lbs)	(lbs)
Toluene	108-88-3	1000	5000
Methanol	67-56-1	5000	8620

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

67-56-1

Methanol

108-88-3

Toluene

\*\*Toluene

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

67-56-1

Methanol

108-88-3 Toluene

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

67-56-1 Methanol 108-88-3 Toluene 67-64-1 Acetone

## **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

108-88-3 Toluene 71-43-2 \*\*Benzene 100-41-4 \*\*Ethylbenzene 108-88-3 \*\*Toluene 91-20-3 \*\*Naphthalene

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

108-88-3 Toluene
71-43-2 \*\*Benzene
100-41-4 \*\*Ethylbenzene
108-88-3 \*\*Toluene
91-20-3 \*\*Naphthalene

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

108-88-3 Toluene

## Massachusetts Right To Know

67-56-1

Methanol

SDS Number: 100000055306 14 / 16 ARPOL 619 WASH THINNER



Revision Date: 01/31/2020 Version 1.0

108-88-3	Toluene
67-64-1	Acetone
142-82-5	**Heptane
71-43-2	**Benzene

#### Pennsylvania Right To Know

67-56-1	Methanol
108-88-3	Toluene
67-64-1	Acetone
0.4740.40.0.4	

Naphtha (pet), hydrotreated It AND/OR 64742-49-0 / Heptane, branched, cyclic and linear 426260-76-6 / AND/OR Solvent naphtha (pet), It aliph. 64742-89-8 142-82-5 \*\*Heptane 71-43-2 \*\*Benzene 100-41-4 \*\*Ethylbenzene

### California Prop 65

⚠ WARNING: This product can expose you to chemicals including \*\*Benzene, \*\*Ethylbenzene, \*\*Cumene, \*\*Naphthalene, which is/are known to the State of California to cause cancer, and Methanol, Toluene, \*\*Benzene, \*\*Toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### The components of this product are reported in the following inventories:


**TSCA** : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

**PICCS** : On the inventory, or in compliance with the inventory

#### **SECTION16. OTHER INFORMATION**

#### NFPA:



Special hazard.

### HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 =Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become



Version 1.0 Revision Date: 01/31/2020

available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date

: 01/31/2020

Material number:

16136458,

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Govern- ment Industrial Hygienists	LD50	Lethal Dose 50%	
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act	
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System	
LC50	Lethal Concentration 50%			