

# SAFETY DATA SHEET

Issuing Date 31-Aug-2018 Revision Date 16-Aug-2024 Revision Number 2

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name Mothers California Gold Synthetic Wax

Other means of identification

Product Code(s) 05712, 05715, 05716, 25716, 35716

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Car care

Uses advised against No information available

Supplier's details

Supplier Address Company

MOTHERS POLISHES WAXES MOTHERS POLISHES WAXES CLEANERS

CLEANERS 5456 Industrial Drive

5456 Industrial Drive Huntington Beach, CA 92649

Huntington Beach, CA 92649 TEL: 714-891-3364 TEL: 714-893-1827

FAX: 714-893-1827

**Emergency telephone number** 

Emergency Telephone Chemtrec Phone: 1-800-424-9300 (within the U.S.) or +1 703-527-3887 (outside the U.S.)

Number

# 2. HAZARDS IDENTIFICATION

# Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Sensitization	Category 1
Reproductive Toxicity	Category 2

### **Label Elements**

Signal Word

Warning



# **Hazard Statements**

May cause an allergic skin reaction Suspected of damaging fertility or the unborn child

### Physical and Health Hazards Not Otherwise Classified

Not applicable.

#### **Precautionary Statements**

#### Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

#### **General Advice**

If exposed or concerned: Get medical attention/advice. Specific treatment (see supplemental first aid instructions on this label).

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- · Wash contaminated clothing before reuse.

### Storage

· Store locked up.

### **Disposal**

• Dispose of contents/container to an approved waste disposal plant.

### Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Naphtha (petroleum), heavy alkylate	64741-65-7	10-20	-	-
Calcined kaolin clay	66402-68-4	10-20	-	-
Paraffinic, naphthenic solvent	64742-47-8	5-10	-	-
Isopropyl alcohol	67-63-0	1-5	-	-
D-Limonene	5989-27-5	<10	-	-
Oleamide dea	93-83-4	<10	-	-
Octamethylcyclotetrasiloxane	556-67-2	<10	-	-
Mineral Spirits	8052-41-3	<10	-	-

# 4. FIRST AID MEASURES

**Description of necessary first-aid measures** 

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur.

**Skin Contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician. May cause an allergic skin reaction.

**Inhalation** Move to fresh air.

Ingestion Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Get

medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects May cause allergic skin reaction. Itching. Rashes.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable Extinguishing Media** No information available.

Specific Hazards Arising from the May cause

Chemical

May cause sensitization by skin contact.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and

**Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with the skin and the eyes. Ensure trained personnel conduct clean up. Refer

to Section 8 for personal protective equipment.

**Environmental Precautions** 

Environmental Precautions Prevent product from entering drains. Avoid release to the environment. See Section 12 for

additional Ecological Information. Dispose of contents/container to an approved waste

disposal plant.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Clean contaminated surface thoroughly.

Keep in suitable and closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin and eyes.

\_\_\_\_

### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products**None known based on information supplied.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcined kaolin clay	STEL: 10 mg/m <sup>3</sup> Zr	TWA: 5 mg/m³ Zr	TWA: 5 mg/m³ respirable dust
66402-68-4	TWA: 5 mg/m <sup>3</sup> Zr TWA: 0.02	(vacated) TWA: 5 mg/m <sup>3</sup> Zr	TWA: 10 mg/m³ total dust
	mg/m³ Mn respirable particulate	(vacated) STEL: 10 mg/m <sup>3</sup> Zr	
	matter		
	TWA: 0.1 mg/m <sup>3</sup> Mn inhalable		
	particulate matter		
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Mineral Spirits	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m <sup>3</sup>
8052-41-3		TWA: 2900 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and Body Protection** Lightweight protective clothing. Protective gloves.

**Respiratory Protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State Liquid. Appearance Orange.

Odor Perfume. Odor Threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

8.0 None known **Melting Point/Range** No data available None known **Boiling Point/Boiling Range** 102 °C / 215.6 °F None known > 105 °C / > 221.3 °F **Flash Point** None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air upper flammability limit No data available lower flammability limit No data available **Vapor Pressure** No data available None known **Vapor Density** No data available None known Relative Density No data available None known **Specific Gravity** No data available None known Water Solubility No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** 4000 cps None known

Flammable Properties Not flammable Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) No data available

# 10. STABILITY AND REACTIVITY

**Reactivity** No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

**Possibility of hazardous reactions** None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

**Conditions to avoid**None known based on information supplied.

<u>Incompatible materials</u> None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

InhalationAvoid breathing vapors or mists.Eye ContactContact with eyes may cause irritation.

**Skin Contact** Prolonged contact may cause redness and irritation. May cause allergic skin reaction.

**Ingestion** No known effect.

#### Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document: Not applicable.

# **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Naphtha (petroleum), heavy alkylate	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.04 mg/L (Rat) 4 h
Paraffinic, naphthenic solvent	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Isopropyl alcohol	= 1870 mg/kg (Rat)	12800 mg/kg(Rat) 12870 mg/kg(Rabbit)	72.6 mg/L (Rat)4 h
D-Limonene	5000 mg/kg (Rat)	>5000 mg/kg (Rabbit)	-
Oleamide dea	= 12400 μL/kg(Rat)	-	-
Octamethylcyclotetrasiloxane	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rat) > 4640 mg/kg (Rabbit)	= 36 g/m³ (Rat) 4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Allergic skin reactions or irritation.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Does not contain substances that are known or suspected to be mutagens.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		X
D-Limonene		Group 3	-	-

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

#### **OSHA: (Occupational Safety & Health Administration)**

X - Present

Reproductive Toxicity Contains a known or suspected reproductive toxin. Suspected of damaging fertility or the

unborn child.

STOT - single exposure None of the ingredients are known to cause specific target organ effects from a single

exposure.

STOT - repeated exposure None of the ingredients are known to cause specific target organ effects through prolonged

or repeated exposure.

Chronic Toxicity
Target Organ Effects
Aspiration Hazard

Repeated contact may cause allergic reactions in very susceptible persons.

Respiratory system. Eyes. Skin.

Based on product level data, this product does not meet the requirement to be classified as

an aspiration hazard. However, this product contains an ingredient that may cause

aspiration if swallowed.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Naphtha (petroleum), heavy	EC50 72 h: = 30000 mg/L			LC50 48 h: = 2 mg/L
alkylate	(Pseudokirchneriella			(Mysidopsis bahia)
64741-65-7	subcapitata)			
Paraffinic, naphthenic		LC50: 45 mg/L Pimephales		LC50 96 h: = 4720 mg/L
solvent		promelas 96 h flow-through		(Den-dronereides
64742-47-8		LC50: 2.2 mg/L Lepomis		heteropoda)
		macrochirus 96 h static		
		LC50: 2.4 mg/L		
		Oncorhynchus mykiss 96 h		
		static		
Isopropyl alcohol	EC50 72 h: > 1000 mg/L	LC50 96 h: = 11130 mg/L		EC50 48 h: = 13299 mg/L
67-63-0	(Desmodesmus	static (Pimephales		(Daphnia magna)
	subspicatus) EC50 96 h: >	promelas)		
	1000 mg/L (Desmodesmus	LC50 96 h: = 9640 mg/L		
	subspicatus)	flow-through (Pimephales		
		promelas)		
		LC50 96 h: > 1400000 µg/L		
		(Lepomis macrochirus)		
D-Limonene		LC50 96 h: 0.619 - 0.796		
5989-27-5		mg/L flow-through		
		(Pimephales promelas)		
		LC50 96 h: = 35 mg/L		
		(Oncorhynchus mykiss)		
Octamethylcyclotetrasiloxan		LC50 96 h: > 1000 mg/L		EC50 24 h: = 25.2 mg/L
е		(Lepomis macrochirus) LC50		(Daphnia magna)

556-67-2	96 h: > 500 mg/L	
	(Brachydanio rerio)	

Persistence and Degradability No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Isopropyl alcohol	0.05
Octamethylcyclotetrasiloxane	5.1

Mobility

No information available.

Other Adverse Effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations.

**Contaminated Packaging** Dispose of in accordance with local regulations.

California Hazardous Waste Codes 331

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG/IMO Not regulated

# 15. REGULATORY INFORMATION

**International Regulations** 

Ozone depleting substances Not applicable Persistent Organic Pollutants Not applicable

**Hazardous Waste** 

Chemical Name	Basel Convention (Hazardous Wastes)
Calcined kaolin clay	Y23
Isopropyl alcohol	Y42

The Rotterdam Convention (Prior

Informed Consent)

Not applicable

International Convention for the

Not applicable

Prevention of Pollution from Ships (MARPOL)

International Inventories

TSCA Contact supplier for inventory compliance status
DSL/NDSL Contact supplier for inventory compliance status

<u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Calcined kaolin clay	66402-68-4	10-20	1.0
Isopropyl alcohol	67-63-0	1-5	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcined kaolin clay		X		

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# **U.S. State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Diethanolamine	111-42-2	Carcinogen
Methyl alcohol	67-56-1	Developmental

### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcined kaolin clay	X		X	X	X
Isopropyl alcohol	X	Х	X		X
D-Limonene	X			X	

### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
NFPA	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards N/A		
HMIS	Health Hazard 2*	Flammability 1	Physical Hazard 0	Personal Protection B		

\*Indicates a chronic health hazard.

Prepared By
Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 31-Aug-2018 Revision Date 31-Aug-2018

Revision Note Product Code update.

#### General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Revision I	<b>Date</b> 16	-Aug-2024
------------	----------------	-----------

**End of Safety Data Sheet**